



Page 1A



HOW TO CUT THE PATTERN

1. Print out all pages.
2. Cut along the lines with scissors icon.
3. Line the pages and tape according to their sequence
1A - 1B - 1C - 1D.
4. Cut out the pattern.



Page 1B



Page 1C



SIMPLE SHOPPING BAG
seam allowance included

↓ This is the center front (back) of the b

SEWING INSTRUCTION

1. You will need about 1 yard (1 meter) of fabric and some bias tape.
2. Fold your piece of fabric in half along the grainline. Press to smooth.
3. Fold the fabric again across the grainline, so that the center point of the fabric is at the intersection of the two fold lines.
4. Place the pattern on top of the folded fabric. Trace along the lines and cut.
5. Unfold the cut fabric piece so that the side seams and the handle seams match. Fabric should be wrong side facing each other as you are doing a French seam here.
 - Pin and sew at 1/5in (5mm) from the edge. Turn the seam inside out, now the fabric is right side facing each other. Press to flatten the seam.
 - Sew another line at 3/8in (1 cm) from the previously sewn seam. You will get the finished French seam. Press the seam to one side and sew if you want to reinforce the seam for heavy duty bags.
6. French seam handles and side seams.
7. French seam the corners at the bottom of the bag.
8. Attach bias binding for the openings at the top of the bag.

the bag

This is the center point
of the fabric piece

This is the bottom of the bag